## PATENT COOPERATION TREATY

# **PCT**

## INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

(Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference	FOR FURTHER ACTION See Form PCT/IPEA/416							
72085/ÅD								
International application No.	International filing date (day/m	onth/year) Priority date (day/month/year)						
PCT/SE2003/001076	23.06.2003							
International Patent Classification (IPC) or national classification and IPC								
B01D 61/48								
Amalianat								
Applicant VATTENFALL AB et al								
VAITENTALL AB et al								
<ol> <li>This report is the international preliminary examination report, established by this International Preliminary Examining Authority under Article 35 and transmitted to the applicant according to Article 36.</li> </ol>								
2. This REPORT consists of a total of 5 sheets, including this cover sheet.								
3. This report is also accompanied by ANNEXES, comprising:								
<b>X</b>	t t . r	V 1 C 3						
<u></u>	and to the International Bureau,							
sheets of the description, claims and/or drawings which have been amended and are the basis of this report and/or sheets containing rectifications authorized by this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions).								
sheets which	supersede earlier sheets, but whi	ich this Authority considers contain an amendment that goes						
beyond the di	sclosure in the international appl	lication as filed, as indicated in item 4 of Box No. I and the						
<del></del>								
b. (sent to the International Bureau only) a total of (indicate type and number of electronic carrier(s))								
form only as indicate	, containing a sequence listing and/or tables related thereto, in electronic form only, as indicated in the Supplemental Box Relating to Sequence Listing (see Section 802 of the							
Administrative Instru		ting to sequence Listing (see Section 802 of the						
4. This report contains indications re	elating to the following items:							
i	f the report							
Box No. II Priority	,							
Box No. III Non-es	tablishment of opinion with rega	rd to novelty, inventive step and industrial applicability						
<u> </u>	funity of invention	1 11 11 11						
l <u>L</u>		with regard to novelty inventive eten or industrial						
applica	applicability; citations and explanations supporting such statement							
I <u></u>	defects in the international appli	ication						
<u> </u>								
Box No. VIII Certain	observations on the internationa	u application						
Date of submission of the demand		of completion of this report						
14.01.2005	29.	29.09.2005						
Name and mailing address of the IPEA/S	E Auth	Authorized officer						
Patent- och registreringsverket								
Box 5055 S-102 42 STOCKHOLM	Jer	Jens Waltin/MP						
Facsimile No. +46 8 667 72 88		Telephone No. +46. 8. 782. 25. 00						

Form PCT/IPEA/409 (cover sheet) (April 2005)

## INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No.

PCT/SE2003/001076

Box	No. I	Basis of the report					
1.	With re	regard to the language, this report is based on:					
the international application in the language in which it was filed							
	a translation of the international application into which is the language of a translation furnished for the purposes of:						
		international search (Rules 12.3(a) and 23.1(b))					
		publication of the international application (Rule 12.4(a))	l				
		international preliminary examination (Rules 55.2(a) and/or 55.3(a))					
2.	With regard to the elements of the international application, this report is based on (replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report):						
		the international application as originally filed/furnished	i				
	$\boxtimes$	the description:					
		pages 1-17 as originally filed/furnishe					
		pages* received by this Authority on	- 1				
		pages* received by this Authority on	-				
		the claims:	.,				
		pages as originally filed/furnishe pages* as amended (together with any statement) under Article					
		pages* 1-3 received by this Authority on 26.09.2005					
		pages* received by this Authority on	_				
	$\boxtimes$	the drawings:					
		pages 1-3 as originally filed/furnishe	∌d				
		pages* received by this Authority on					
		pages* received by this Authority on	_				
		a sequence listing and/or any related table(s) - see Supplemental Box Relating to Sequence Listing.					
3.		The amendments have resulted in the cancellation of:					
		the description, pages					
		the claims, Nos.					
		the drawings, sheets/figs					
	-	the sequence listing (specify):					
		any table(s) related to the sequence listing (specify):					
4.		This report has been established as if (some of) the amendments annexed to this report and listed below had not made, since they have been considered to go beyond the disclosure as filed, as indicated in the Supplemental Box (70.2(c)).					
ŀ		the description, pages					
		the claims, Nos.					
		the drawings, sheets/figs					
		the sequence listing (specify):					
		any table(s) related to the sequence listing (specify):					
*	* If item 4 applies, some or all of those sheets may be marked "superseaed."						

## INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No.

PCT/SE2003/001076

Box No. V		Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement					
1.	Statement						
	Novel	lty (N)	Claims Claims	1-16	YES NO		
	Inven	tive step (IS)	Claims Claims	1-16	YES NO		
	Indus	trial applicability (IA)	Claims Claims	1-16	YES NO		

2. Citations and explanations (Rule 70.7)

This report is based upon the amended claims filed with the letter of 26-09-2005.

Documents cited in the International Search Report:

D1: US 4148708 A D2: EP 1075868 A2 D3: WO 02096807 A2 D4: WO 03031034 A1

D1 represents the most relevant prior art.

D1 relates to a combination of ion exchange and electrodialysis apparatuses to process water from the primary coolant loop of a nuclear power plant. The process produces purified water as well as concentrated boric acid and lithium hydroxide.

The differences between the invention and D1 are:

- 1. The process according to the invention is carried out in at least four chambers versus three chambers in D1.
- 2. According to the invention, cations and strongly dissociated anions are separated from the feed solution in the same chamber, and boron species are separated in another chamber. In D1, on the other hand, boron species and cations are separated in the same chamber, while any competitive anions are separated from the boron solution in another chamber.
- 3. The invention provides for recirculation of anolyte and catholyte, while there is no recirculation in D1.

#### International application No.

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

PCT/SE2003/001076

#### Supplemental Box

In case the space in any of the preceding boxes is not sufficient. Continuation of:  $Box\ V$ 

It is not considered obvious to a person skilled in the art to modify the process known from D1 so as to arrive at the invention defined in claim 1.

As for the other cited documents, D2 and D3 both relate to an electro-deionisation apparatuses used for removing weakly ionised species such as boron, silica from water, in order to produce ultra-pure water.

D4 relates to a water treatment system including a boron analyser and a control system for controlling the performance of a boron removal unit. The boron removal unit may be an electro-deionisation treatment unit.

The water treatment systems of D2-D4 are all aimed at producing purified water, and not at the recovery of boron. Therefore, none of D2-D4 provides purification of the separated boron solution from other anions, which is an important feature of the present invention. This can be seen for example in D3, where a common reject line is provided for all separated ions. Furthermore, the invention differs from D2-D4 by other constructional features of the electrochemical cell, such as the number of chambers and recirculation of anolytes/catholytes.

It is not considered obvious to a person skilled in the art to modify the technique disclosed in any of D2-D4 so as to arrive at the invention defined in claim 1.

The conclusion is that the claimed invention is novel and presents an inventive step over D1-D4. It is also considered to be industrially applicable.

#### INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No.

PCT/SE2003/001076

#### Box No. VIII Certain observations on the international application

The following observations on the claims of the claims, description, and drawings or on the question whether the claims are fully supported by the description, are made:

Claim 1 is inconsistent with an embodiment disclosed in the description, and does thus not fulfil the requirements of PCT Article 6.

It follows from claim 1, that the process is carried out in at least four compartments (two diluted compartments, a catholyte compartment and at least one anolythe compartment). Furthermore, one diluted compartment is filled with cation-exhange material ONLY.

On the other hand, according to the simplified embodiment shown in fig. 2 and page 9, lines 6-10, the process is carried out in only three compartments. Moreover, there is only one diluted compartment, which should be filled with anion- AND cation-exchange material.

OT SE 2003 / 0 0 1 0 7 6

2 6 -09- 2005

Re: PCT/SE/03/01076

## IAP9 Rec'd PCT/PTO 0 7 DEC 2005.

#### Amended claims

- 1. A process for the separation and recovery of boron from aqueous solutions containing the same which aqueous solutions are used in nuclear power generation, comprising separating strongly dissociated anions in the form of electrical migration performed in one diluted compartment (2) of an electrochemical cell, filled with cation-exchange material only; separating dissociated cations such as <sup>7</sup>Li<sup>+</sup> in the form of ion-exchange/electrical migration in the same compartment above; separating boron in the form of electrochemical/chemical dissociation, ionexchange/adsorption, and electrical migration performed in another diluted compartment (5) filled with anion-exchange material or a mixture of anion- and cation-exchange materials or layers of anion- and cation-exchange materials separated from each other; recovering the separated cations into a catholyte compartment (1) of the electrochemical cell; recovering the separated boron into at least one analyte compartment (3,4) of the electrochemical cell; recirculating the anolyte in the at least one anolyte compartment (3,4); recirculating the catholyte in the catholyte compartment (1); and recirculating the diluted solution in the diluted compartments (2,5) if necessary.
- 2. The process according to claim 1, wherein a five-compartment electrochemical cell is used comprising two diluted compartments (2,5), two analyte compartments (3,4), one catholyte compartment (1), one anode and two cathodes.
- 3. The process according to claim 1, wherein the diluted compartments (2,5) are separated from the anode by an anion-exchange membrane (AM) and separated from one of the cathodes by a cation-exchange membrane (CM).
- 4. The process according to any of the preceding claims, wherein DC potential is applied between the anode and the cathode.
- 5. The process according to any of claims 1-4, wherein one analyte compartment (3) is used for collecting the separated strongly dissociated anions, such as chloride, nitrate and sulfate, and another analyte compartment (4) is used for recovering the separated boron.

.1

, (

- 6. The process according to any of the preceding claims, wherein the catholyte compartment (1) is used for collecting the separated cations such as <sup>7</sup>Li<sup>+</sup>.
- 7. The process according to any of the preceding claims, wherein the initial anolyte is the pure solution of boric acid, and the initial catholyte is the pure solution of a given cation that may be recovered, and the initial concentrations of the anolyte and catholyte are appropriately adjusted for performing the separation and recovery of boron and a certain cation.
- 8. The process according to any of the preceding claims, wherein the ion-exchange materials filled in the diluted compartment(s) is (are) ion-exchange resins having uniform particle size and the same mean diameter of resin beads for both anion and cation resins.
- 9. The process according to any of the preceding claims, wherein the separation of boron from strongly dissociated anions is performed before the separation of boron in a following diluted compartment.
- 10. The process according to any of the preceding claims, wherein the electrochemical dissociation of boric acid in the first diluted compartment is reduced by controlling the density of DC current during the separation of boron with strongly dissociated anions, the applied current density being controlled below 0.1 A/dm², and the electrochemical dissociation of boric acid is reduced below 15% as the initial concentration of boron is about 2000 ppm.
- 11. The process according to any of the preceding claims, wherein the DC current applied to the electrochemical cell is appropriately adjusted to keep a balance among the electrochemical dissociation of boric acid, the electrical migration of anions and water splitting for the regeneration of ion-exchange materials.
- 12. The process according to any of the preceding claims, wherein the separation and recovery of boron can be performed for an aqueous solution with a wide rang of initial concentration of boron from several thousands ppm to several tens ppm.
- 13. The process according to any of the preceding claims, wherein a high efficiency of boron separation is achieved, the separation percentage of boron being over 95%.

- 14. The process according to any of the preceding claims, wherein a high concentrating limit is achieved for boron recovery, the concentration of boron in the analyte being up to 80% of the solubility of boric acid.
- 15. The process according to any of the preceding claims, wherein the separation and recovery of boron and a given cation like lithium such as <sup>7</sup>Li<sup>+</sup> may be performed at the same time.
- 16. The process according to any of the preceding claims, wherein the treatment of the aqueous solution is performed in a recirculating model, a follow-through model or a partial-recirculating model.